Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Oasis Petroleum North America LLC
Well Name/Number: Halvorson Federal 2759 13-29H

Location: NW NE Section 29 T2/N R59E
County: Roosevelt , MT; Field (or Wildcat) Wildcat
Air Quality
(possible concerns)
Long drilling time: No, 30-40 days drilling time.
Unusually deep drilling (high horsepower rig): Triple derrick drilling rig to drill a single lateral
horizontal Bakken Formation test, 20,017'MD/10,365'TVD.
Possible H2S gas production: Yes, slight H2S possible.
In/near Class I air quality area: No Class I air quality area nearby.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-
211.
Mitigation:
X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: Existing pipeline for H2S gas in the area
Water Quality
(possible concerns)
Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole
will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud
system.
High water table: No high water table anticipated.
Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to
Missouri River, about 1/8 of a mile to the southeast from this location.
Water well contamination: No, closest water wells are about ½ of a mile to the southwest, about 5/8 of a
mile to the southwest and ¾ of a mile to the northwest from this location. All other wells are 1 mile and
further from this location. Depth of these domestic and stock water wells are 48' to 2012'. Other wells in
the area are either geotech wells. This proposed oil well will be drilled with freshwater and freshwater
mud to 1835' and steel surface casing will be run and cemented to surface to protect groundwater.
Porous/permeable soils: No, sandy silty clay soils.
Class I stream drainage: No, Class I stream drainages.
Mitigation:
X Lined reserve pit
\underline{X} Adequate surface casing
Berms/dykes, re-routed drainage
Closed mud system
Off-site disposal of solids/liquids (in approved facility)
Other:
Comments: 1,835' surface casing will be drilled with freshwater, steel casing will be run to 1,835
and cemented back to surface, to protect freshwater zones in adjacent water wells. Also, covering Fox

Hills aquifer. Adequate surface casing and BOP equipment to prevent problems.

Soils/Vegetation/Land Use

(possible concerns)

Steam crossings: None anticipated.

High erosion potential: No, location will require a moderate cut of up to 30.1' and a moderate fill of up to

15.4', required.

Loss of soil productivity: _No, location to be restored after drilling, if nonproductive. If productive unused portion of this drillsite will be reclaimed.

Unusually large wellsite: Yes, a large well site 430'X375'.

Damage to improvements: Slight surface use appears to be sage brush grassland.

Conflict with existing land use/values: Slight

Mitigation

- __ Avoid improvements (topographic tolerance)
- __ Exception location requested
- <u>X</u> Stockpile topsoil
- __ Stream Crossing Permit (other agency review)
- _X Reclaim unused part of wellsite if productive
- __ Special construction methods to enhance reclamation
- X Other Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28).

Comments: Access will be over existing highway, #327. New access road will be built into this location, about 3384' into this location from the highway #327. Oil based invert drilling fluids will be recycled. Completion fluids will hauled to a commercial Class II disposal. Cuttings and solids will be buried/solidified on site in the lined reserve pit. The lined pit will be allowed to dry and the pit backfilled. No concerns.

Health Hazards/Noise

(possible concerns)

Proximity to public facilities/residences: <u>Nearest residence is about 5/8 of a mile to the southwest from this location.</u> The Town of Bainville, MT about 6.25 miles to the northwest from this location.

Possibility of H2S: Yes, slight.

Size of rig/length of drilling time: Triple drilling rig 30 to 40 days drilling time.

Mitigation:

- X Proper BOP equipment
- __ Topographic sound barriers
- __ H2S contingency and/or evacuation plan
- __ Special equipment/procedures requirements

__ Other:_

Comments: Adequate surface casing cemented to surface with working BOP stack should mitigate any problems.

Wildlife/recreation

(possible concerns)

Proximity to sensitive wildlife areas (DFWP identified): None identified.

Proximity to recreation sites: <u>None identified.</u> Creation of new access to wildlife habitat: No

Conflict with game range/refuge management: No

Threatened or endangered Species: <u>Species identified as threatened or endangered are the Pallid Sturgeon</u>, Interior Lease Tern, Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH tracker website indicates four (4) species of concern are the Great Blue Heron, Piping Plover,

Bobolink and Whooping Crane. Potential species of concern, one (1) is the Hayden's Shrew.

Mitigation:

__ Avoidance (topographic tolerance/exception)

Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: There maybe species of concern that maybe impacted by this wellsite. We ask the
operator to consult with the surface owner as to what he would like done, if a species of concern is
discovered at this location. The Board of Oil & Gas has no jurisdiction over private surface lands.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites: None identified. Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: There maybe possible historical/cultural/paleontological sites that maybe impacted by
this wellsite. We ask the operator to consult with the surface owner as to his desires to preserve these sites
or not, if they are found during construction of the wellsite. The Board of Oil & Gas has no jurisdiction
over private surface lands.
Social/Economic (possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Wildcat well. No concerns
Remarks or Special Concerns for this site
An exploratory single lateral horizontal Bakken Formation test, 20,017'MD/10,365'TVD.
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected, some short term impacts will occur, but can be mitigated.
I conclude that the approval of the subject Notice of Intent to Drill (does/does not) constitute a major
action of state government significantly affecting the quality of the human environment, and (does/ <u>does</u>
<u>not</u>) require the preparation of an environmental impact statement.
Prepared by (BOGC): /s/Steven Sasaki
(title:) Chief Field Inspector
Date: September 24, 2011
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Roosevelt County water wells

(subject discussed)
<u>September 24, 2011</u>
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Roosevelt County, Montana
(subject discussed)
<u>September 24, 2011</u>
Montana Natural Heritage Program Website
(Name and Agency)
Heritage State Rank= S1, S2, S3, Location T27N R59E
(subject discussed)
September 24, 2011
(date)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: